

QF-Push Back Racking

Steel

Rack

Fixed

5-15m 100-1000

Pallet Racking

Semi-closed

New Type Common Use

Customized

20 Days

Q235B

Semi-closed Powder Coated Steel Push Back Pallet Racking With Trolley And Guide Rail

Basic Information



Product Specification

- Model NO.:
- Material:
- Structure:
- Type:
- Mobility:
- Height:
- Weight:
- Closed:
- Development:
- Serviceability:
- Color:
- Lead Time:
- Raw Material:
- Surface Treatment: Galvanized/Powder Coating
- Transport Package: Standard Export Packing



More Images









h for more products

Product Description

QiFei Push-back racking:

Push-back racking is composed of pallet rack and combined with trolley and around 2° guide rail. The push back pallet rack uses heavy-duty carts to form 2 to 5-pallets-deep configurations, single pallet loading capacity is less than 1000kg.





The key advantages include:

Increased storage density: By allowing pallets to be stored multiple deep, push-back racking can increase storage capacity by 30-50% compared to standard selective pallet racking.

Efficient forklift operations: The sloped rail and nested carts make it easy for forklifts to load and unload pallets, improving productivity.


Damage reduction: The nested cart design helps protect the stored goods from potential forklift impacts.

Required information for quote

1, The AUTOCAD drawing or draft drawing of warehouse or racking.

- 2, Length, Height, and Width of the warehouse.
- 3, Layers of the racking
- 4, Pallet size.
- 5, Max weight of pallet with cargo on.
- 6, Color requirement.

Detailed Photos




1. Sloped rail system:

The racking has a slight downward slope, allowing pallets to be easily moved in and out.

2. Nested carts:

Wheeled carts are used to hold the pallets. These carts can be nested within each other, allowing multiple pallets to be stored in the same storage location.



3. Last-in, first-out (LIFO) operation:

The last pallet loaded on the sloped rail can be retrieved first, suited for warehouses with consistent inventory turnover.

Push-back racking is commonly used in retail distribution centers, manufacturing facilities, and cold storage warehouses.

It provides an excellent balance of storage density, accessibility, and operational efficiency.




Customer Site





Produce Process





Q: What is the payment term?

A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.

Q: What is your terms of delivery?

A: EXW, FOB

Q: Are samples available?

A: Yes, We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost and the courier cost.

Q: What is the minimum order quantity?

A: Generally, MOQ is 10sets.

Q: Can I make my own brand and designed products?

A: Yes, we do both OEM and ODM, so you can make your own product with your own logo.

Q: Where is your factory? Can I visit it?

A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.

Q: What is the material being used for your products?

A: Mild steel Q235.

Q: I don't have drawing or picture available for the products, could you design it for me?

A: Yes, we can make the best suitable design for you but need to knowmore details.

Q: Do I get any guarantee from your company?

A: 3 years warranty

Q: How do you make our business long-term and good relationship?

+86-15161451461

A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit ;

More Choice





sharonyan@qifeirack.com @ warehouse-rackings.com

Add: #739 Dixiu Road Jiangning District Nanjing China

 \Box